

FOR DEVICES NO LONGER INCLUDED IN THE CATALOGUE (DELIVERY ONLY AS LONG AS STOCKS LAST)

HAND-HELD ELECTRICAL TOOLS	Order no.
----------------------------	-----------

IMPACT DRILLS

For Sb E 1000/2 S- R+L Signal	
Diamond core bit, M 22, hard, 66 mm diameter	6.24500
Adapter M 18 x 2,5 / M 22	6.24592
Adapter SW 11 / M 22	6.24593
HM / SDS Plus pilot drill	6.24594

DIAMOND DRILL SYSTEM

Diamond drilling stand DS 45	6.00745
Diamond wet-drilling core bits	
Outer Ø Length Connection	
10 mm 200 mm R 1/2" male thread	6.24670
16 mm 300 mm R 1/2" male thread	6.24671
20 mm 300 mm R 1/2" male thread	6.24672
25 mm 300 mm R 1/2" male thread	6.24673
30 mm 300 mm R 1/2" male thread	6.24674
35 mm 300 mm R 1/2" male thread	6.24675
40 mm 300 mm R 1/2" male thread	6.24676
51 mm 400 mm 1 1/4" UNC female thread	6.24756
62 mm 400 mm 1 1/4" UNC female thread	6.24757
72 mm 400 mm 1 1/4" UNC female thread	6.24758
82 mm 400 mm 1 1/4" UNC female thread	6.24759
92 mm 400 mm 1 1/4" UNC female thread	6.24760
102 mm 400 mm 1 1/4" UNC female thread	6.24761
112 mm 400 mm 1 1/4" UNC female thread	6.24762
122 mm 400 mm 1 1/4" UNC female thread	6.24763
132 mm 400 mm 1 1/4" UNC female thread	6.24764
152 mm 400 mm 1 1/4" UNC female thread	6.24765
also: Extensions (from 40 mm diameter on)	
300 mm R 1/2" male thread	6.24696
300 mm 1 1/4" UNC female thread	6.24696
Diamond dry-drilling core bits	
Outer Ø Length Connection	
36 mm 350 mm 1 1/4" UNC female thread	6.24790
47 mm 350 mm 1 1/4" UNC female thread	6.24791
68 mm 350 mm 1 1/4" UNC female thread	6.24792
82 mm 350 mm 1 1/4" UNC female thread	6.24793
112 mm 350 mm 1 1/4" UNC female thread	6.24794
127 mm 350 mm 1 1/4" UNC female thread	6.24795
132 mm 350 mm 1 1/4" UNC female thread	6.24796
152 mm 350 mm 1 1/4" UNC female thread	6.24797
Diamond socket countersink for dry drilling	
Outer Ø Length Connection	
68 mm 95 mm 1 1/4" UNC female thread	6.24798
82 mm 95 mm 1 1/4" UNC female thread	6.24799
Centring crosses for socket countersink up to drilling core bit diameter	
36 mm	6.24771
47 mm	6.24772
68 and 82 mm	6.24773
also: Pilot drill (as spare)	
Ø 8 mm x 90 mm	6.24777
also: Grindstone	6.24664
Water flushing head	6.24667
Immersion pump	6.24649
Water pressure container	6.24665
Drill stand (for max. 40 mm Ø)	
with water extraction ring	6.24666
also: Connector 35/35 mm diameter	6.31593
Stationary water extraction	6.24654
also: Seal (as spare)	6.24662
Hand-held water extraction	6.24655
also: Seal (as spare)	6.24663
also: Connector 35/35 mm diameter	6.24653
Suction rotor with 1 1/4" male thread	6.24770
Fastening set, concrete	6.24656
also: Pegs (as spare)	6.24668
Fastening set, masonry	6.24657
also: Pegs (as spare)	6.24669
Vacuum set	6.24659
also: Seal (as spare)	6.24661
also: Sponge-rubber ring	6.24660
Vacuum pump	6.24650
Quick-action column	6.24658

CORDLESS DEVICES	Order no.
------------------	-----------

CORDLESS DEVICES

Battery pack, 4,8 V	6.31101
---------------------	---------

GRINDING MACHINES

For triangular base-plate sander DSE 170/180	
Perforated base plate	6.24970
For disc sander SXE 125	
Velcro-faced backing pad medium-hard	6.31224
soft	6.31225
Paper dust bags	6.31385
For sander Sr 4321	
Self-adhesive, velcro-faced liner, (non-perforated) 115 x 280 mm	6.24910
also: Cling-fit sanding sheets, non-perforated, 113 x 235 mm, packs of 5	
P 60	6.24905
P 80	6.24906
P 100	6.24907
P 120	6.24908
For Sanders Sr 216 / Sr E 217	
Perforated velcro-faced base plate 114 x 114 mm	6.24719
For the sanders Sr E 217, Sr 226, Sr E 227, Sr 326, Sr E 329	
Paper dust bag, complete	6.31385
For belt sanders	
Sanding belts, packs of 5	
Dimension Grit	
65 x 410 mm P 40	6.31410
P 60	6.31411
P 80	6.31412
P 100	6.31413
P 150	6.31414
P 240	6.31415
75 x 575 mm P 40	6.30689
P 60	6.30690
P 80	6.30691
P 100	6.30692
P 120	6.30693
100 x 620 mm P 40	6.30696
P 60	6.30697
P 80	6.30698
P 100	6.30699
P 120	6.30700
P 150	6.30701
P 180	6.30702

For bench grinders

Dimensions	Grit/Hardness	suitable for	
Grinding wheels, normal corundum			
150 x 20 x 32	36 P	Ds 7202	6.30777
150 x 20 x 32	80 M	Ds 7202/Ds 7203	6.30778
175 x 20 x 32	36 P	Ds 7204	6.30780
175 x 20 x 32	80 M	Ds 7204	6.30781
200 x 25 x 32	36 P	Ds 7211	6.30784
200 x 25 x 32	60 N	Ds 7211	6.30785
250 x 32 x 32	24 Qu	Ds 7226	6.30788
250 x 32 x 32	60 N	Ds 7226	6.30789
Pink grade corundum grinding wheels			
150 x 50 x 13		Ds 7203	6.30779

SAWS

For chainsaws			
Saw chain for Kt 5338 A	1/4" / 64		6.30196
Saw chain for Kt 5338 B	3/8" / 44		6.30345
Sharpening set for Kt 1530			6.31668
Saw chain for Kt 1440	3/8" / 59		6.31435
Sharpening set for Kt 1440			6.31437
Round files for Kt 1440			6.31438
File holder for Kt 1440			6.31439
For band saws			
Saw blade 1810 x 9,4	4 teeth/inch		6.27642
Saw blade 1810 x 12,7	4 teeth/inch		6.27643
Saw blade 1810 x 6,4	6 teeth/inch		6.27641
Saw blade 1810 x 6,0	24 teeth/inch		6.27644

SPECIAL-PURPOSE MACHINES	Order no.
--------------------------	-----------

For ASB 1025 / ASK 1005	
Paper filter bag	6.31338
also: Rubber bands	6.31344

For AS 9010 / ASA 9011	
Paper filter bag	6.31348

HEDGE TRIMMERS

Container 525 mm long	6.31378
-----------------------	---------

LAWN TRIMMERS

Line cartridge for uno tip 300	6.31716
Line cartridge for duo tip 400	6.31717
Line cartridge for duomatic 450	6.31718
Line cartridge for ES 1000	6.31719

STATIONARY DEVICES AND MACHINES

WOOD PROCESSING MACHINES MAGNUM

For Magnum Tk 1256			
Cabinet base			6.31321
also: Intermediate plate			6.31468
Wheels			6.31324
Sliding table			6.31461
Table width extension			6.31463
Table length extension			6.31467
Clamp			6.31464
Splitting wedge			6.31466
Automatic switch-on device			6.31469
Length stop			6.31462
Pressure apparatus			6.30438
For Magnum Tk 1688			
Cabinet base			6.31321
Wheels			6.31324
Stand			6.30400
also: Handle			6.31325
Sliding table			6.31581
Extension piece			6.31352
Length stop			6.31462
Relieving apparatus saw blade			6.23782
Adjustable grooving cutter			6.31328
Chip deflector plate			6.31336
Grinding disc			6.31375
Sanding discs P 120			6.31377
Square/round cutting apparatus			6.31012
Table insert			6.31330
Pressure apparatus			6.30438
Carbide-tipped circular saw blades			
Diameter	Type	Number of teeth	
250	Alternately bevel-ground tips	24	6.23810
250	Alternately bevel-ground tips	60	6.23780
For Magnum TKU 225 Electronic and Magnum Tk 1066			
Machine stand, folding			6.31883
Table length extension			6.31881
Table width extension			6.31882
also: Support			6.31887
Sliding table			6.31461
Extendable length stop			6.31462
Clamp			6.31464
Universal fence for TKU 225 Electronic (as spare)			6.31885
Clamping device for TKU 225 Electronic (as spare)			6.31880
Chip and dust extraction unit			6.31892
Hose holder			6.31459
Reducing sleeve Ø 100/58 mm			6.31884
Roller support			6.30668
Automatic switch-on device			6.31469

STATIONARY DEVICES AND MACHINES	Order no.	Order no.	Order no.
MAGNUM WOOD PROCESSING MACHINES			
For Magnum TKU 225 Electronic and Magnum Tk 1066			
Carbide-tipped circular saw blades Ø 210 mm, 2,4 mm tooth face, 30 mm bore			
Type of teeth	Number of teeth		
Alternately bevel- ground tips	30	6.31888	
Alternately bevel- ground tips	42	6.31889	
Alternately bevel- ground tips	64	6.31890	
Alternately bevel- ground tips	40	6.31891	
Trapezoidal and flat top, 5° neg.	64	6.31893	
For Magnum TKU 1693			
Machine stand, folding		6.31691	
Table length extension		6.31694	
also: Support		6.31699	
Supplementary table		6.31693	
Combined crosscut fence and length stop		6.31675	
Scoring saw kit		6.31676	
Tungsten (carbide-tipped) circular saw blades, Ø 250 mm			
Tooth face 2.8 mm, alternately bevel-ground tips			
Suction hoses			
3,5 m long		6.31362	
1,75 m long		6.30318	
Hose holder		6.31459	
Parts for conversion to a dimensioning saw			
Dimension sliding table, 920 mm long		6.31672	
Length stop		6.31696	
Supplementary stop		6.31674	
Clamping device		6.31695	
For Magnum Bs 0633			
Cabinet base		6.31321	
Intermediate plate		6.31322	
Wheels (set of 2)		6.31324	
Band saw blades, endless, 2230 mm long			
Width	Thickness	Teeth/inch	
mm	mm		
12,5	0,5	4	6.30851
15,0	0,5	4	6.30855
6,0	0,5	6	6.30850
3,5	0,5	14	6.30852
15,0	0,45	–	6.30857
10,0	0,5	4	6.30854
3,0	0,65	22	6.30853
16,0	0,65	18	6.30856
12,0	0,5	14	6.30858
Table-top extension kit		6.31170	
Crosscut fence		6.30842	
Chip hose		6.30922	
Circular sawing attachment		6.30843	
Table insert		6.30847	
Sanding belts, endless 2215 x 20 mm for flat surface sanding	Grit		
(stiff belts)	P 60	6.30860	
for curved surface sanding (flexible belts)	P 100 P 150	6.30862 6.30863	
Push block		6.31017	
For Magnum BS 1638			
Stand		6.30846	
Fine sawing attachment		6.24887	
Circular sawing attachment		6.24889	
Band saw blades, endless, 2225 mm long, 3 mm width, 0,4 mm pitch		6.24883	
Sanding belts (set of 3) endless, 20 x 2205 mm	Grit		
for flat surface sanding (stiff belts)	P 60	6.30860	
for curved surface sanding (flexible belts)	P 100 P 150	6.30862 6.30863	
Cling-fit sanding sheets (set of 5) Ø 200 mm	Grit		
	P 80 P 100	6.24896 6.24897	
For Magnum ADH 1626			
Cabinet base		6.31321	
This requires: Intermediate plate		6.31222	
Wheels (set of 2)		6.31324	
Stand		6.30400	
also: Handle		6.31325	
HSS planer blades (set of 2)		6.30545	
Carbide-tipped planer blades		6.30546	
Set of disposable reversible planer blades with blade holder		6.31240	
Disposable reversible planer blades (set of 2)		6.31241	
Push block		6.31017	
For Magnum ADH 1630			
Wheels (set of 2)		6.31745	
Carbide-tipped planer blades (set of 2)		6.31742	
also: Blade holder set		6.31744	
Push block with stop rail		6.31017	
For Magnum ADH 260			
Stand		6.30848	
Cabinet base		6.30849	
also: Wheels (set of 2)		6.31745	
Roller support		6.30668	
HS (HSS) planer blades (set of 2)		6.30467	
Carbide-tipped planer blades (set of 2)		6.30471	
Set of disposable reversible planer blades		6.30468	
also: Blade holder set		6.30469	
Push block with stop rail		6.31017	
For Magnum ADH 310			
Moving attachment		6.31875	
Table length extension		6.31881	
Roller support		6.30668	
Reversible planer blades		6.31877	
HS (HSS) reversible planer blades		6.31878	
Mortising attachment		6.31870	
also: Mortising bit			
Diameter	Overall length	Shaft diameter	
mm	mm	mm	
6	90	6	6.31871
8	90	8	6.31872
10	90	10	6.31873
12	90	10	6.31874
Push block with stop rail		6.31017	
Full-view safety goggles		6.31075	
also: Replacement lens		6.31159	
For Magnum Tf 1690			
Cabinet base		6.31321	
This requires: U-section bars		6.31323	
Wheels (set of 2)		6.31324	
Handle for machine stand, can be swivelled down		6.31325	
Straight bit Ø 125 x 6 mm		6.31266	
x 8 mm		6.31267	
x 12 mm		6.31269	
Straight bit Ø 180 x 12 mm, Z = 4, HS (HSS)		6.31276	
Straight bit Ø 200 x 4 mm, Z = 4, HW (HM)		6.31316	
Adjustable grooving cutter Ø 200 mm, Z = 4, HS (HSS)		6.31274	
Adjustable grooving cutter Ø 200 mm, Z = 8, HW (HM)		6.31328	
Rabbit cutter head Ø 100 x 40 mm, Z = 2		6.31270	
also: Carbide taper tap		6.31272	
Glue joint cutter block Ø 100 x 50 mm, Z = 2, HS (HSS)		6.31275	
Universal cutter head Ø 93 x 40 mm, Z = 2		6.31273	
also: Set of rabbit blades, alloy-steel		6.30492	
also: Set of rabbit blades, HW (HM)		6.31308	
also: Set of profile blades, alloy-steel		6.30493	
	No. 2	6.31294	
	No. 3	6.30494	
	No. 9	6.31296	
	No. 11	6.31297	
	No. 13	6.31291	
	No. 14	6.30496	
	No. 15	6.30497	
	No. 16	6.31298	
	No. 17	6.31299	
	No. 18	6.30498	
	No. 20	6.31307	
	No. 21	6.30499	
	No. 24	6.31292	
	No. 25	6.31293	
	No. 35	6.31304	
	No. 36	6.31305	
	No. 37	6.31315	
For Magnum Tf 1690			
Profiling bit Ø 97 x 12 mm, HS (HSS)		6.31278	
Profiling bit Ø 125 x 15,3 mm, HS (HSS)		6.31279	
Profiling bit Ø 140 x 25 mm, HS (HSS)		6.31277	
Panel-raising cutter Ø 180 x 20 mm, HS (HSS)		6.31309	
Set of spacer rings no. 1		6.31313	
Set of spacer rings no. 2		6.31314	
Ball-bearing guide		6.31310	
Guide ring 110 mm		6.31312	
Chip extraction funnel		6.31261	
Table length extension		6.31262	
Mounting rail		6.31263	
Strip with thrust combs		6.31258	
Clamp fixture		6.31259	
Bowed pressure rail		6.31257	
Intermediate plate		6.31319	
For Magnum Tba 1018			
Handle for machine stand, can be swivelled down		6.31325	
Crosscut fence		6.31184	
Sanding belts 180 x 1550 mm (set of 2), for wood	P 60 P 80	6.31190 6.31191	
	P 100	6.31192	
	P 150	6.31193	
	P 200	6.31194	
For wood and metal (base material: fabric)	P 80 P 150	6.31195 6.31196	
For Magnum Ag 2416			
Pleated filter		6.30899	
Extension hose NW 100		6.30895	
Connecting sleeve		6.30894	
Chip bags (set of 10)		6.30896	
For Magnum AG 2417			
Reducing sleeve Ø 100/58 mm		6.30841	
Extension hose NW 100		6.31755	
Suction hoses Ø 35 mm			
3,5 m long		6.31362	
2,5 m long (flame-resistant)		6.30331	
1,75 m long		6.30318	
Suction hose holder		6.31459	
Y-piece		6.30897	
Chip bags (set of 5)		6.31756	
For Magnum EOB 9228			
Reducing sleeve Ø 82/58 mm		6.30892	
Extension hose		6.30895	
Connecting sleeve		6.30894	
Suction hose (flame-resistant)		6.30331	
Cleaning kit		6.30840	
Chip bags (set of 10)		6.30896	
For Magnum EOB 9520			
Reducing sleeve Ø 100/58 mm		6.30841	
Extension hose Ø 100 mm		6.30895	
Suction hose Ø 35 mm		6.30331	
Cleaning kit		6.30840	
Chip bags (set of 10)		6.30913	

WOOD PROCESSING TECHNOLOGY ELEKTRA BECKUM			Order no.				Order no.
CIRCULAR SAWS				BAND SAWS			
Circular saw blades				For BAS 315 / BAS 316			
Dimen- sions, mm	Type of teeth/ Material	Number of teeth		Stand			0909004276
				Angular guide			0910008048
				Precision three-pulley guide			0909010900
For Multi 180 (until 2002)				Band saw blades			
200 x 2 x 30	Alternately bevel-ground tips/carbide	16	0920053963	Dimensions	Tooth pitch	Suitable for	
200 x 2 x 30	Alternately bevel-ground tips/carbide	48	0920053971	1067 x 5 x 0,65	A2	Wood,	0909052939
200 x 2 x 30	Alternately bevel-ground tips/carbide	64	0920053980	1067 x 3 x 0,65	Rake tooth A2	Plastic Aluminium,	0909052947
For KS 205 (until 1999)				1067 x 5 x 0,65	Helical tooth A2	Plastic	
205 x 1,2 x 18	Crosscut blade/CrV	72	0910050044		Rake tooth	Nonferrous metal,	0909052920
205 x 1,6 x 18	Alternately bevel-ground tips/carbide	24	0910050052			Foam	
205 x 1,6 x 18	Alternately bevel-ground tips/carbide	64	0910050060	For BS 230 (until 2001)			
For PKV 300 G (until 1996) with combo secondary hole holder				1505 x 6 x 0,36	A4	Wood, Plastic	0909040817
300 x 1,8 x 30	Alternately bevel-ground tips/carbide	28	0910014099		Helical tooth	Curved cuts	
300 x 1,8 x 30	Alternately bevel-ground tips/carbide	48	0910014110	1505 x 12 x 0,36	A6	Wood, Plastic	0909040825
300 x 2,2 x 30	Roof hollow tooth/ carbide	60	0910014102		Peg tooth	Universal cuts	
300 x 1,8 x 30	Alternately bevel-ground tips/carbide	72	0910014129	1505 x 12 x 0,36	A2	Nonferrous metal, Foam	0909040841
300 x 1,8 x 30	Alternately bevel-ground tips/carbide	96	0910014137		Rake tooth		
300 x 2,2 x 30	Flat top/ trapezoidal/carbide	96	0910014145	For BAS 250 G			
Relieving saw blade				1712 x 6 x 0,36	A4	Wood, Plastic	0909057175
102 x 2,8 x 22	Flat top/ trapezoidal/carbide	20	0910016377		Helical tooth	Curved cuts	
For KS 304				1712 x 12 x 0,36	A6	Wood, Plastic	0909057183
304 x 2,2 x 30	Alternately bevel-ground tips, 3° neg./carbide	48	0910053396		Peg tooth	Universal cuts	
304 x 2,2 x 30	Alternately bevel-ground tips, 3° neg./carbide	64	0910053400	1712 x 12 x 0,36	A2	Nonferrous metal, Foam	0909057191
For TK 350 (until 1983)					Rake tooth		
350 x 1,8 x 30	Peg tooth/CrV	56	0910000268	For BAS 315 G / BAS 316 G			
350 x 1,8 x 30	Crosscut blade/CrV	80	0910000209	2240 x 6 x 0,5	A4	Wood,	0909029252
350 x 1,8 x 30	Flat top/ Sec. hole holder/carbide	22	0910000322		Helical tooth	Plastic Curved cuts	
For MC 2000 (until 1997)				2240 x 12 x 0,5	A6	Wood, Plastic	0909029244
355 x 2,2 x 25	Flat top with alternately bevel-ground tips/carbide	60	0910050222		Peg tooth	Universal cuts	
For BW 500 (until 1998)				2240 x 15 x 0,5	A6	Wood, Plastic	0909029260
500 x 2,5 x 30	Peg tooth/CrV	56	0910003437		Peg tooth	Straight cuts	
500 x 2,8 x 30	Alternately bevel-ground tips/ Sec. hole holder/carbide	22	0910003461	2240 x 15 x 0,5	A2	Metal, Cellular material	0909029279
For DECU 400 (until 1999)				For BAS 450 / BAS 500 / BAS 600			
135 x 2 x 0,25	For wood, plastic, gypsum plaster (6 units)		0910052888	3380 x 6 x 0,5	A4	Wood,	0909029180
135 x 2 x 0,25	For wood, plastic, metal, gypsum (6 units)		0910052896		Helical tooth	Plastic Curved cuts	
135 x 6 x 0,4	For wood (6 units)		0910052900	3380 x 13 x 0,65	A2	Nonferrous metal,	0909029228
135 x 6 x 0,4	For metal, foams (6 units)		0910052918		Rake tooth	Steel profiles	
PLANERS				3380 x 15 x 0,5	A2	Wood, Nailproof, Cellular material	0909029210
HSS planer blades				3380 x 15 x 0,5	A6	Wood, Plastic	0909029171
Dimen- sions, mm	Suitable for	packing unit			Peg tooth	Universal cuts	
182 x 19 x 2,5	Multi 180	2	0920054021	3380 x 25 x 0,5	A6	Wood,	0909000416
260 x 20 x 3	HC 260 M	2	0911030721		Peg tooth	Plastic Straight cuts	
263 x 24,5 x 3	HC 260 E/ES (until 1989)	2	0911030748	3380 x 25 x 0,5	A18	Wood, firewood	0909000424
310 x 25 x 3	HC 310 (until 1993)	3	0920007112		Peg tooth		
310 x 30 x 3	HC 314 (until 1999)	4	0911016362				
319 x 18 x 3	DH 315 (until 1999)	2	0911053152				
320 x 25 x 3	HC 320 (until 1999)	3	0911014220				
332 x 12 x 1,5	DH 330, DH 316		0911063549				
334 x 16 x 2	DH 330	2	0911062119				



The Metabo 3 year warranty Registration: www.metabo.com/xxl


Metabowerke GmbH

Postfach 1229

D-72602 Nürtingen

Telefon +49-(0)-7022 72-0

Telefax +49-(0)-7022 722595



RTS-RIEGELTEAM.DE

6.54000.80 · M 07777/0606 · Printed in Germany/Imprimé en Allemagne – We reserve the right to undertake modifications to reflect technical advances



www.metabo.com

metabo[®]
work. don't play.